

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

05-31-2022

NUMBER

3333000344

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PLM



OPTIMUM ANALYTICAL & CONSULTING LLC
85 STILES ROAD SUITE 201
SALEM, NH 03079-0000



Mary Broz-Vaughan
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM

NUMBER: 3333000344 EXPIRES: 05-31-2022

OPTIMUM ANALYTICAL & CONSULTING LLC
85 STILES ROAD SUITE 201
SALEM, NH 03079-0000



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)